

araid[®] 3500/S3500

A non-Stop SATA II RAID 1 Controller *since 1998*

Support Enterprise SNMP Agent Management

Unique "Mirror on Demand" (provide anti-virus capability)



Host Interface: SATA II (3.0Gbps)

No Driver or Add-on Card required

RAID Level: RAID 1 (default) or RAID 0

6cm Japan brand Silent and Powerful Fan. Good for 7200 rpm HDD

Disk Hot Swap, Auto- Rebuild and Hot-Plug in

ARAID S3500 can enable HDD's Security feature

Advanced ONE-STEP installation & operation

The Araid 3500/S3500 is non-stop and disk hot-swappable disk array subsystems for mission critical servers and personal computers with state-of-the-art real-time data backup and off-line data backup subsystems.

This disk array contents high speed ASIC & CPU, RAM & ROM. Araid operates in a multi-user and multi-task environment with near-zero overhead ensuring RAID 1 data integrity by writing data to two hard disks concurrently. Should any hard disk fail, there is always a real-time backup on the other survival drive. Araid enables user to replace the failed hard disk while PC is operating and rebuilds all contents to a new hard disk automatically, no manually setup is required.

When Araid 3500 set as Raid 0 mode, hard disk capacity may multiply to approximately 4Tera Byte. ARAID S3500 can enable hard drive's Security feature which can prevent any data disclosed.

The New Generation of Computer Investment of the 21st Century

- Two hard disks work concurrently. When one disk fails, you always have a 100% data backup on the other healthy drive.
- Installation and disk replacement takes minimal time. System has zero down time because PC keeps working while replacing a new hard disk. Business never down by a fail drive.
- Grandfather-Father-Son Periodical off-line backup method makes virus removal or recovery easy and quick.
- When PC fails, shortest system restore time guarantee. External Araid T3500/TS3500 model takes only a few seconds to switch to another computer.
- Araid is the fastest, most reliable and cost effective RAID storage and performance solution for daily computer operation.
- Secure Araid S3500 makes hard disk data has one more safe & secure protection.
- Optional with IDE or SCSI Bridge interface, to lower the risk of finding hard disk.



A failed hard disk can never let you down again.

Pri HDD : OK
Sec HDD : OK
Two good drive

Pri HDD : OK
Sec HDD : Fail
One drive failed

Pri HDD : OK
Sec HDD : OFF
Remove failed drive

Rebuding . . .
Pri → Sec 02%

Insert new drive
& start disk rebuild

Rebuilding . . .
Pri → Sec 02%

Rebuilding . . .
Pri → Sec 20%

Rebuild in progress (20%)

Pri HDD : OK
Sec HDD : OK
Rebuild complete

araid[®] 3500/S3500 A Durable 24x7 Disk Array Controller

Functions

Araid 3500/S3500 is a real-time backup, fault tolerant storage subsystem with online disk hot-swap capability (RAID 1). Support standard SATA II Host Interface and Hard Disk. Built-in with LCD display, LED indicator, Human Interface Processor and 6cm powerful fan inside. Araid 3500/S3500 requires no device driver or interface card to install hard disk and operate Araid in just one single step, no other setting is required. PC keeps working while replacing a new hard disk and new hard disk rebuilding status displays in

Local management

Monitor software (Administrator can view real-time FAN & temperature status, disk array situation, receive alert notification).

RAID Management

Araid SNMP Agent for Windows or Linux can support such HP, IBM, etc standard network management features

Easy Installation & Operation

The ARAID 3500/S3500 requires no device driver or interface card to install and is compatible to all popular operating systems. After detecting by the PC BIOS as a single hard disk, this ARAID 3500/S3500 can be used right away. Hard disks good/bad, read/write status will be showed by LCD & LED in real-time. Any hard disk has failure, buzzer will automatic make alarm sound to warning. The administrator has to turn off the buzzer switch manually and find out the problem(s).



Local management: Raid Manager (Java) for Windows, Linux, Mac and Solaris.



SNMP Network management: Araid SNMP Agent for Windows or Linux.



SATA



IDE

The external model is called ARAID T3500 /TS3500 which support SATA or IDE or SCSI host interface.

Araid 3500 SPECIFICATION

PC Host Interface	SATA II (3.0Gbps). Support SATA I (1.5Gbps). (Optional: IDE or SCSI Bridge)
Hard Disk Interface	SATA II (3.0Gbps)
RAID Mode	RAID 1 or RAID 0
Requires No Driver/Add-on Card	Yes
Failed HDD Hot-Swap & New HDD Auto-Rebuild	Yes, allows user to replace hard disk while PC is operating.
Mirror on Demand switch	Manual Disk Rebuild function. Standby hard disk provide anti-virus and file mishandling recovery capability.
Front Panel LCD	Displays status of disks, including Fan, Temperature, and Rebuilding Percentage(%) status.
LED Indicator	Yes, shows hard disk READ or WRITE status.
Hard Disk Fail Alert	LCD, LED, Buzzer, Email and SNMP Trap notifications.
O.S. Support	Windows 7, Vista, XP, 2008/2003/2000/NT4.0, ME/98/95, 3.11, DOS 6.22, LINUX, SCO Unix, Free BSD, NetWare, Solaris, Mac OS, IBM OS/2, etc.
Built-in Powerful Fan	Yes, Powerful 6cm Fan. Good for 7200 rpm HDD.
Space Required & Dimension	Two free 5.25" drive bays. 195mm(D) x 146mm(W) x 86mm(H)
Connectors	RS-232 x 1 and USB UART x 1.
Local Management	AraidEye Utility for Windows and AraidEye for Linux(optional).SNMP Agent for Windows or Linux.
SNMP Management (optional)	SNMP Agent for Windows or Linux. Provide Araid MIB, MIB II, and Traps.
Weight	
Other	When purchasing Araid S3500 which can enable hard disk's security feature for more data protection.

All brand names and trademarks are the property of their respective owners.



Accordance Systems Inc.

2F, No. 31, Sec.6, Hsin Yi Road, Taipei, Taiwan Tel: +886-2-2726-3239 Fax: +886-2-2728-1322
Web: www.accordance.com.tw E-mail: sales@accordance.com.tw